ELSEVIER

Brain Research 748 (1997) 271–272

BRAIN RESEARCH

Author Index

Aeschbach, D., Dijk, D.-J. and Borbély, A.A.
Dynamics of EEG spindle frequency activity during extended sleep in humans: relationship to slow-wave activity and time of day (748) 131

Aloisi, A.M., Casamenti, F., Scali, C., Pepeu, G. and Carli, G.
Effects of novelty, pain and stress on hippocampal extracellular acetylcholine levels in male rats (748) 219

Armengol, J.A., Benamar, K., Fernández-Alonso, A., Sancibrián, M., Myers, R.D. and Miñano, F.J.
Antibodies to macrophage inflammatory protein-1β in preoptic area of rats fail to suppress PGE_2 hyperthermia (748) 245

Asakura, K., see Ueda, K. (748) 184

Banik, N.L., Matzelle, D., Terry, E. and Hogan, E.L.
A new mechanism of methylprednisolone and other corticosteroids action demonstrated in vitro: inhibition of a proteinase (calpain) prevents myelin and cytoskeletal protein degradation (748) 205

Benamar, K., see Armengol, J.A. (748) 245

Bonaz, B. and Taché, Y.
Corticotropin-releasing factor and systemic capsaicin-sensitive afferents are involved in abdominal surgery-induced Fos expression in the paraventricular nucleus of the hypothalamus (748) 12

Borbély, A.A., see Aeschbach, D. (748) 131

Breen, S., Rees, S. and Walker, D.
Identification of brainstem neurons responding to hypoxia in fetal and newborn sheep (748) 107

Budzikowski, A.S., see Paczwa, P. (748) 51

Buijs, R.M., see Teclemariam-Mesbah, R. (748) 71

Busch, C., see Weikert, S. (748) 1

Carafoli, E., see Stauffer, T.P. (748) 21

Carli, G., see Aloisi, A.M. (748) 219

Casamenti, F., see Aloisi, A.M. (748) 219

Celio, M.R., see Stauffer, T.P. (748) 21

Chai, S.Y., see Jenkins, T.A. (748) 137

Chen, S., see Hillman, D.E. (748) 77

Dachir, S., Kadar, T., Robinzon, B. and Levy, A.
Nimodipine's protection against corticosterone-induced morphological changes in the hippocampus of young rats (748) 175

Dalia, A., see Narayanan, S. (748) 263

Dijk, D.-J., see Aeschbach, D. (748) 131

Dirnagl, U., see Weikert, S. (748) 1

Dugan, L.L., see Papadopoulos, M.C. (748) 151

Dun, N.J., see Lai, C.C. (748) 189

Dunn-Meynell, A.A., Govek, E. and Levin, B.E.
Intracarotid glucose selectively increases Fos-like immunoreactivity in paraventricular, ventromedial and dorsomedial nuclei neurons (748) 100

Fernández-Alonso, A., see Armengol, J.A. (748) 245

Fraser, P.E., see Ishii, K. (748) 250

Freyer, D., see Weikert, S. (748) 1

Fulford, A.J. and Marsden, C.A.
Effect of isolation-rearing on noradrenaline release in rat hypothalamus and hippocampus in vitro (748) 93

Garruto, R.M., see Wakayama, I. (748) 237

Gearing, M., see Ishii, K. (748) 250

Giacchi, R.J., see Hillman, D.E. (748) 77

Gibb, J.W., see Wagstaff, J.D. (748) 241

Giffard, R.G., see Papadopoulos, M.C. (748) 151

Gordon, C.E., see Hillman, D.E. (748) 77

Govek, E., see Dunn-Meynell, A.A. (748) 100

Guerini, D., see Stauffer, T.P. (748) 21

Hallenbeck, J.M., see Tasaki, K. (748) 267

Hand, G.A., Potts, J.T., Treuhaft, B.S., Wilson, L.B., Petty, F. and Mitchell, J.H.
Static muscle contraction elicits a baroreflex-dependent increase in glutamate concentration in the ventrolateral medulla (748) 211

Hanson, G.R., see Wagstaff, J.D. (748) 241

Hillman, D.E., Gordon, C.E., Troublefield, Y., Stone, E., Giacchi, R.J. and Chen, S.
Effect of unilateral tympanotomy on auditory induced c-*fos* expression in cochlear nuclei (748) 77

Hogan, E.L., see Banik, N.L. (748) 205

Hori, T., see Li, A.-J. (748) 30

Hough, L.B., see Li, B.Y. (748) 168

Huang, R. and Somjen, G.G.
Effects of hypertonia on voltage-gated ion currents in freshly isolated hippocampal neurons, and on synaptic currents in neurons in hippocampal slices (748) 157

Ichikawa, H., Jacobowitz, D.M. and Sugimoto, T.
S100 protein-immunoreactive primary sensory neurons in the trigeminal and dorsal root ganglia of the rat (748) 253

Isaev, N., see Weikert, S. (748) 1

Ishii, K., Tamaoka, A., Mizusawa, H., Shoji, S.-i., Ohtake, T., Fraser, P.E., Takahashi, H., Tsuji, S., Gearing, M., Mizutani, T., Yamada, S., Kato, M., St.George-Hyslop, P.H., Mirra, S.S. and Mori, H.
Aβ1–40 but not Aβ1–42 levels in cortex correlate with apolipoprotein E ϵ4 allele dosage in sporadic Alzheimer's disease (748) 250

Jacobowitz, D.M., see Ichikawa, H. (748) 253

Jenkins, T.A., Chai, S.Y. and Mendelsohn, F.A.O.
Upregulation of angiotensin II AT_1 receptors in the mouse nucleus accumbens by chronic haloperidol treatment (748) 137

Kadar, T., see Dachir, S. (748) 175

Kalsbeek, A., see Teclemariam-Mesbah, R. (748) 71

Kanemura, F., see Tonosaki, K. (748) 234

Katafuchi, T., see Li, A.-J. (748) 30

Kato, M., see Ishii, K. (748) 250

Kawasaki, K., see Ueda, K. (748) 184

Kimura, F., see Mitsushima, D. (748) 258

Koumenis, I.L., see Papadopoulos, M.C. (748) 151

Kumar, G.K.
Peptidases of the peripheral chemoreceptors: biochemical, immunological, in vitro hydrolytic studies and electron microscopic analysis of neutral endopeptidase-like activity of the carotid body (748) 39

Lai, C.C., Wu, S.Y., Lin, H.H. and Dun, N.J.
Excitatory action of pituitary adenylate cyclase activating polypeptide on rat sympathetic preganglionic neurons in vivo and in vitro (748) 189

Levin, B.E., see Dunn-Meynell, A.A. (748) 100

Levy, A., see Dachir, S. (748) 175

Li, A.-J., Katafuchi, T., Oda, S., Hori, T. and Oomura, Y.
Interleukin-6 inhibits long-term potentiation in rat hippocampal slices (748) 30

Li, B.Y., Nalwalk, J.W. and Hough, L.B.
Effects of naltrexone and histamine antagonists on the antinociceptive activity of the cimetidine analog SKF92374 in rats (748) 168

Liang, K.-C., see Tan, S.-E. (748) 227

Lin, H.H., see Lai, C.C. (748) 189

Maier, S.F., see Wiertelak, E.P. (748) 143
Marsden, C.A., see Fulford, A.J. (748) 93
Martin, D., see Tasaki, K. (748) 267
Matsuo, A., see Takami, K. (748) 122
Matzelle, D., see Banik, N.L. (748) 205
McGeer, P.L., see Takami, K. (748) 122
McGinty, J.F., see Wang, J.Q. (748) 62
Megow, D., see Weikert, S. (748) 1
Mendelsohn, F.A.O., see Jenkins, T.A. (748) 137
Miñano, F.J., see Armengol, J.A. (748) 245
Mirra, S.S., see Ishii, K. (748) 250
Mitchell, J.H., see Hand, G.A. (748) 211
Mitsushima, D. and Kimura, F.
The maturation of $GABA_A$ receptor-mediated control of luteinizing hormone secretion in immature male rats (748) 258
Miwa, K., see Tonosaki, K. (748) 234
Mizusawa, H., see Ishii, K. (748) 250
Mizutani, T., see Ishii, K. (748) 250
Mori, H., see Ishii, K. (748) 250
Myers, R.D., see Armengol, J.A. (748) 245

Nalwalk, J.W., see Li, B.Y. (748) 168
Narayanan, S., Dalia, A., Wallace, L.J. and Uretsky, N.J.
Enhancement of the locomotor response to apomorphine in pertussis toxin-treated animals depends on the site of pertussis toxin injection into the ventral tegmental area (748) 263
Nawashiro, H., see Tasaki, K. (748) 267
Nerurkar, V.R., see Wakayama, I. (748) 237

Oda, S., see Li, A.-J. (748) 30
Ohtake, T., see Ishii, K. (748) 250
Ohtsuki, T., see Tasaki, K. (748) 267
Oomura, Y., see Li, A.-J. (748) 30

Paczwa, P., Budzikowski, A.S. and Szczepańska-Sadowska, E.
Enhancement of central pressor effect of AVP in SHR and WKY rats by intracranial N^G-nitro-L-arginine (748) 51
Papadopoulos, M.C., Koumenis, I.L., Dugan, L.L. and Giffard, R.G.
Vulnerability to glucose deprivation injury correlates with glutathione levels in astrocytes (748) 151
Pepeu, G., see Aloisi, A.M. (748) 219
Petty, F., see Hand, G.A. (748) 211
Pevet, P., see Teclemariam-Mesbah, R. (748) 71
Potts, J.T., see Hand, G.A. (748) 211

Rees, S., see Breen, S. (748) 107
Robinzon, B., see Dachir, S. (748) 175
Roemer, B., see Wiertelak, E.P. (748) 143
Roque, R.S., see Rosales, A.A. (748) 195
Rosales, A.A. and Roque, R.S.
Microglia-derived cytotoxic factors. Part I: Inhibition of tumor cell growth in vitro (748) 195
Ruetzler, C.A., see Tasaki, K. (748) 267

Sancibrián, M., see Armengol, J.A. (748) 245
Scali, C., see Aloisi, A.M. (748) 219
Schultze, J., see Weikert, S. (748) 1
Shoji, S.-i., see Ishii, K. (748) 250
Somjen, G.G., see Huang, R. (748) 157
Song, K.-J., see Wakayama, I. (748) 237
Stamford, J.A., see Toner, C.C. (748) 85
Stauffer, T.P., Guerini, D., Celio, M.R. and Carafoli, E.
Immunolocalization of the plasma membrane Ca^{2+} pump isoforms in the rat brain (748) 21
St.George-Hyslop, P.H., see Ishii, K. (748) 250
Stone, E., see Hillman, D.E. (748) 77
Sugimoto, T., see Ichikawa, H. (748) 253
Szczepańska-Sadowska, E., see Paczwa, P. (748) 51

Taché, Y., see Bonaz, B. (748) 12
Takahashi, H., see Ishii, K. (748) 250
Takami, K., Terai, K., Matsuo, A., Walker, D.G. and McGeer, P.L.
Expression of presenilin-1 and -2 mRNAs in rat and Alzheimer's disease brains (748) 122
Tamaoka, A., see Ishii, K. (748) 250
Tan, S.-E. and Liang, K.-C.
Inhibitory avoidance learning alters the amygdala calcium/calmodulin-dependent protein kinase II activity in rats (748) 227
Tasaki, K., Ruetzler, C.A., Ohtsuki, T., Martin, D., Nawashiro, H. and Hallenbeck, J.M.
Lipopolysaccharide pre-treatment induces resistance against subsequent focal cerebral ischemic damage in spontaneously hypertensive rats (748) 267
Teclemariam-Mesbah, R., Kalsbeek, A., Pevet, P. and Buijs, R.M.
Direct vasoactive intestinal polypeptide-containing projection from the suprachiasmatic nucleus to spinal projecting hypothalamic paraventricular neurons (748) 71
Terai, K., see Takami, K. (748) 122
Terry, E., see Banik, N.L. (748) 205
Toner, C.C. and Stamford, J.A.
Involvement of N- and P/Q- but not L- or T-type voltage-gated calcium channels in ischaemia-induced striatal dopamine release in vitro (748) 85
Tonosaki, K., Miwa, K. and Kanemura, F.
Gustatory receptor cell responses to the sweeteners, monellin and thaumatin (748) 234
Treuhaft, B.S., see Hand, G.A. (748) 211
Troublefield, Y., see Hillman, D.E. (748) 77
Tsuji, S., see Ishii, K. (748) 250

Ueda, K., Yagami, T., Asakura, K. and Kawasaki, K.
Chlorpromazine reduces toxicity and Ca^{2+} uptake induced by amyloid β protein (25–35) in vitro (748) 184
Uretsky, N.J., see Narayanan, S. (748) 263

Wagstaff, J.D., Gibb, J.W. and Hanson, G.R.
Role of dopamine D_1- and NMDA receptors in regulating neurotensin release in the striatum and nucleus accumbens (748) 241
Wakayama, I., Song, K.-J., Nerurkar, V.R., Yoshida, S. and Garruto, R.M.
Slow dendritic transport of dissociated mouse hippocampal neurons exposed to aluminum (748) 237
Walker, D., see Breen, S. (748) 107
Walker, D.G., see Takami, K. (748) 122
Wallace, L.J., see Narayanan, S. (748) 263
Wang, J.Q. and McGinty, J.F.
Intrastriatal injection of a muscarinic receptor agonist and antagonist regulates striatal neuropeptide mRNA expression in normal and amphetamine-treated rats (748) 62
Watkins, L.R., see Wiertelak, E.P. (748) 143
Weih, M., see Weikert, S. (748) 1
Weikert, S., Freyer, D., Weih, M., Isaev, N., Busch, C., Schultze, J., Megow, D. and Dirnagl, U.
Rapid Ca^{2+}-dependent NO-production from central nervous system cells in culture measured by NO-nitrite/ozone chemoluminescence (748) 1
Wiertelak, E.P., Roemer, B., Maier, S.F. and Watkins, L.R.
Comparison of the effects of nucleus tractus solitarius and ventral medial medulla lesions on illness-induced and subcutaneous formalin-induced hyperalgesias (748) 143
Wilson, L.B., see Hand, G.A. (748) 211
Wu, S.Y., see Lai, C.C. (748) 189

Yagami, T., see Ueda, K. (748) 184
Yamada, S., see Ishii, K. (748) 250
Yoshida, S., see Wakayama, I. (748) 237